

## AUTHOR INDEX

- Akiskal, H.S., 102  
 Allen, J.G., 327  
 Asselin, L.A., 160  
 Atre-Vaidya, N., 88  
  
 Baldassano, C.F., 345  
 Becker, D.F., 141, 155  
 Bellodi, L., 38  
 Benedetti, A., 124  
 Beratis, S., 74  
 Bianchi, I., 38  
 Bianchi, M.L., 38  
 Blais, M.A., 31  
 Blumer, D., 193  
 Bogojevic, G., 315  
 Brewer, H., 321  
 Brinkley, J., 133  
 Brunette, M.F., 109  
 Bush, G., 56  
  
 Cahill, S.P., 300  
 Cassano, G.B., 124  
 Castlebury, F.D., 31  
 Cavadini, P., 38  
 Cheung, F., 249  
 Cohen, B.N., 283  
 Compton, W., 171  
 Connor, P.D., 102  
 Console, D.A., 327  
 Cornelius, J.R., 213  
 Coyne, L., 327  
 Cuesta, M.J., 61  
 Curtis, J., 274  
 Czobor, P., 230  
  
 Dahl, A.A., 43  
 Dancyger, I.F., 185  
 Davis, C., 321  
 Deb, S., 179  
 Delahousse, J., 296  
 Diaferia, G., 38  
 Dinwiddie, S.H., 218  
 Drake, R.E., 109  
 Dunner, D.L., 1  
  
 Eckert, E.D., 185  
 Edell, W.S., 141, 155  
 Eisenberg, L., 69  
 Erzegovesi, S., 38  
  
 Fabrega, H., Jr., 213  
 Fehon, D.C., 141  
 Ferrando, S.J., 146  
 Figueroa, E.F., 23  
 Fishman, B., 146  
 Flakierska-Praquin, N., 17  
 Fremaux, D., 296  
 Frueh, B.C., 300  
 Fukunishi, I., 166  
  
 Gabriel, J., 74  
 Gastó, C., 98  
 Gelpin, E., 269  
 Ghaemi, S.N., 345  
 Gillberg, C., 17  
 Goldney, R., 264  
 Grant, B.F., 202  
 Grilo, C.M., 141, 155  
 Grubaugh, A., 283  
  
 Halmi, K.A., 185  
 Hanna, E.Z., 202  
 Hansen, K., 171  
 Haykal, R.F., 102  
 Henry, J.M., 349  
 Heun, R., 335  
 Hilsenroth, M.J., 31  
 Huth, A., 23  
 Hutto, B.R., 305  
  
 Jacobsberg, L.B., 146  
 Jones-Barlock, A., 213  
  
 Kalmbach, K., 321  
 Kamo, T., 49, 117  
 Kaplan, A.S., 321  
 Kaptein, S., 321  
 Katzman, D.K., 321  
 Kikuchi, M., 166  
 Kim, Y., 117  
 Kirsh, C., 321  
 Kotorii, N., 49  
 Krakowski, M., 230  
 Kräuchi, K., 80  
 Kurasaki, K.S., 249  
  
 Lecercle, C., 296  
 Lekka, N.P., 74  
 Levy, K.N., 141  
 Lin, K.-M., 249  
 Lindström, M., 17  
 Lingjorde, O., 43  
 Loas, G., 296  
 Lohr, N.E., 23  
 Lumley, M.A., 160  
  
 Mc'Glashan, T.H., 141, 155  
 Maher, P.J., 213  
 Maier, W., 335  
 Manicavasagar, V., 274  
 Manning, J.S., 102  
 Martino, S., 155  
 Mata, B., 124  
 Mata, I., 61  
 Mezzich, J.E., 213  
 Miyaoka, H., 117  
  
 Napier, M., 171  
 Nieto, E., 98  
  
 Norman, S., 160  
 North, C.S., 171  
  
 Olmsted, M.P., 321  
 Orr, S.P., 269  
 Otero, A., 98  
 Otmani, O., 296  
  
 Papassotiropoulos, A., 335  
 Paris, J., 237  
 Pearlstein, T., 243  
 Peralta, V., 61  
 Peri, T., 269  
 Perugi, G., 124  
 Petrides, G., 56  
 Pitman, R.K., 269  
  
 Rabkin, J.G., 146  
 Reich, S., 80  
 Reichborn-Kjennerud, T., 43  
 Rombouts, R.P., 341  
 Roy-Byrne, P., 133  
 Russo, J., 133  
  
 Saebel, J., 264  
 Sachs, G.S., 345  
 Sakamoto, K., 117  
 Sakamura, Y., 49, 117  
 Salloum, I.M., 213  
 Saracaceanu, E., 349  
 Scheele, L., 133  
 Schiffer, F., 289  
 Schrader, G.D., 260  
 Schwartz, R.C., 283  
 Serrano, J.F., 61  
 Shady, G., 6  
 Shalev, A.Y., 269  
 Silk, K.R., 23  
 Silove, D., 274  
 Simonetti, B., 124  
 Spinhoven, P., 93  
 Spitznagel, E.L., 171  
 Staley, D., 6  
 Starcevic, V., 315  
 Sunday, S.R., 185  
  
 Takeuchi, D., 249  
 Takubo, M., 166  
 Taylor, M.A., 88  
 Tiggeman, M., 264  
 Toni, C., 124  
 Townes, B., 133  
 Tramoni, A.V., 349  
 Truman, C.J., 345  
  
 Ulrich, R.F., 213  
  
 Vallejo, J., 98  
 Van den Bosch, R., 341  
 Van der Does, A.J., 93

## AUTHOR INDEX

- Akiskal, H.S., 102  
 Allen, J.G., 327  
 Asselin, L.A., 160  
 Atre-Vaidya, N., 88  
  
 Baldassano, C.F., 345  
 Becker, D.F., 141, 155  
 Bellodi, L., 38  
 Benedetti, A., 124  
 Beratis, S., 74  
 Bianchi, I., 38  
 Bianchi, M.L., 38  
 Blais, M.A., 31  
 Blumer, D., 193  
 Bogojevic, G., 315  
 Brewer, H., 321  
 Brinkley, J., 133  
 Brunette, M.F., 109  
 Bush, G., 56  
  
 Cahill, S.P., 300  
 Cassano, G.B., 124  
 Castlebury, F.D., 31  
 Cavadini, P., 38  
 Cheung, F., 249  
 Cohen, B.N., 283  
 Compton, W., 171  
 Connor, P.D., 102  
 Console, D.A., 327  
 Cornelius, J.R., 213  
 Coyne, L., 327  
 Cuesta, M.J., 61  
 Curtis, J., 274  
 Czobor, P., 230  
  
 Dahl, A.A., 43  
 Dancyger, I.F., 185  
 Davis, C., 321  
 Deb, S., 179  
 Delahousse, J., 296  
 Diaferia, G., 38  
 Dinwiddie, S.H., 218  
 Drake, R.E., 109  
 Dunner, D.L., 1  
  
 Eckert, E.D., 185  
 Edell, W.S., 141, 155  
 Eisenberg, L., 69  
 Erzegovesi, S., 38  
  
 Fabrega, H., Jr., 213  
 Fehon, D.C., 141  
 Ferrando, S.J., 146  
 Figueroa, E.F., 23  
 Fishman, B., 146  
 Flakierska-Praquin, N., 17  
 Fremaux, D., 296  
 Frueh, B.C., 300  
 Fukunishi, I., 166  
  
 Gabriel, J., 74  
 Gastó, C., 98  
 Gelpin, E., 269  
 Ghaemi, S.N., 345  
 Gillberg, C., 17  
 Goldney, R., 264  
 Grant, B.F., 202  
 Grilo, C.M., 141, 155  
 Grubaugh, A., 283  
  
 Halmi, K.A., 185  
 Hanna, E.Z., 202  
 Hansen, K., 171  
 Haykal, R.F., 102  
 Henry, J.M., 349  
 Heun, R., 335  
 Hilsenroth, M.J., 31  
 Huth, A., 23  
 Hutto, B.R., 305  
  
 Jacobsberg, L.B., 146  
 Jones-Barlock, A., 213  
  
 Kalmbach, K., 321  
 Kamo, T., 49, 117  
 Kaplan, A.S., 321  
 Kaptein, S., 321  
 Katzman, D.K., 321  
 Kikuchi, M., 166  
 Kim, Y., 117  
 Kirsh, C., 321  
 Kotorii, N., 49  
 Krakowski, M., 230  
 Kräuchi, K., 80  
 Kurasaki, K.S., 249  
  
 Lecercle, C., 296  
 Lekka, N.P., 74  
 Levy, K.N., 141  
 Lin, K.-M., 249  
 Lindström, M., 17  
 Lingjorde, O., 43  
 Loas, G., 296  
 Lohr, N.E., 23  
 Lumley, M.A., 160  
  
 Mc'Glashan, T.H., 141, 155  
 Maher, P.J., 213  
 Maier, W., 335  
 Manicavasagar, V., 274  
 Manning, J.S., 102  
 Martino, S., 155  
 Mata, B., 124  
 Mata, I., 61  
 Mezzich, J.E., 213  
 Miyaoka, H., 117  
  
 Napier, M., 171  
 Nieto, E., 98  
  
 Norman, S., 160  
 North, C.S., 171  
  
 Olmsted, M.P., 321  
 Orr, S.P., 269  
 Otero, A., 98  
 Otmani, O., 296  
  
 Papassotiropoulos, A., 335  
 Paris, J., 237  
 Pearlstein, T., 243  
 Peralta, V., 61  
 Peri, T., 269  
 Perugi, G., 124  
 Petrides, G., 56  
 Pitman, R.K., 269  
  
 Rabkin, J.G., 146  
 Reich, S., 80  
 Reichborn-Kjennerud, T., 43  
 Rombouts, R.P., 341  
 Roy-Byrne, P., 133  
 Russo, J., 133  
  
 Saebel, J., 264  
 Sachs, G.S., 345  
 Sakamoto, K., 117  
 Sakamura, Y., 49, 117  
 Salloum, I.M., 213  
 Saracaceanu, E., 349  
 Scheele, L., 133  
 Schiffer, F., 289  
 Schrader, G.D., 260  
 Schwartz, R.C., 283  
 Serrano, J.F., 61  
 Shady, G., 6  
 Shalev, A.Y., 269  
 Silk, K.R., 23  
 Silove, D., 274  
 Simonetti, B., 124  
 Spinhoven, P., 93  
 Spitznagel, E.L., 171  
 Staley, D., 6  
 Starcevic, V., 315  
 Sunday, S.R., 185  
  
 Takeuchi, D., 249  
 Takubo, M., 166  
 Taylor, M.A., 88  
 Tiggeman, M., 264  
 Toni, C., 124  
 Townes, B., 133  
 Tramoni, A.V., 349  
 Truman, C.J., 345  
  
 Ulrich, R.F., 213  
  
 Vallejo, J., 98  
 Van den Bosch, R., 341  
 Van der Does, A.J., 93

- Varley, C., 133  
 Vieta, E., 98  
 Walker, M.L., 141, 155  
 Wand, R., 6  
 Wang, Y., 249  
 Ward, N., 133  
 Wetzel, R.D., 171  
 Wiatrak, C., 133  
 Winefield, A., 264  
 Winefield, H., 264  
 Wirz-Justice, A., 80  
 Wogan, J., 166  
 Woodside, D.B., 321  
 Zheng, Y.-P., 249  
 Zlotnick, C., 243

## SUBJECT INDEX

- Abstinence from alcohol, AUDs with and without alexithymia and, 296-299  
 Abuse, sexual, *see* Childhood sexual abuse  
 Academic achievement of ADHD adults, 136  
 Acquired immunodeficiency syndrome, *see* Human immunodeficiency virus infection  
 ADHD (attention-deficit hyperactivity disorder), adult, assessment of, based on clinical presentation, 133-140  
 Adjustment of school phobia patients, 20  
 Admission, Minnesota Multiphasic Personality Inventory profile of anorectics at, 185-191  
 Adolescents  
   hospitalized, with conduct disorders, diagnosis of comorbidity with, 141-145  
   low-income, upgrading mental health services for, 71  
 Adults  
   ADHD in, assessment of, based on clinical presentation, 133-140  
   mentally retarded epileptic, mental disorders in, 179-184  
   separation anxiety in, 274-282  
   who were school refusers, psychiatric care of, 19, 20  
   *see also* Men and specific conditions  
 Affect, changes in, with right versus left lateral visual field stimulation in outpatients, 289-295  
 Affective disorders, *see* specific disorders  
 Affective instability in ASPDs and BPDs, 238  
 Age  
   of antisocial personality disorder patients, 174  
   of AUD patients, *see* Age of AUD patients  
   of bipolar I and II disorder patients, 99  
   of catatonia patients, 58, 63  
   and childhood sexual abuse, 26  
   cognitive impairment and, affecting performance on General Health Questionnaire, 335-340  
   of hospitalized adolescents with conduct disorders, 142  
   of IDUs, 220  
   of men with AIDS and axis I disorders, 149  
   of NT patients, 254  
   of OCD patients, 40  
   of panic with agoraphobia patients, 127, 128, 317  
   of PTSD patients, 271  
   of SAD patients, 45  
   of schizoaffective and manic patients, prevalence of psychosensory features and, 89  
   of schizophrenics, *see* Age of schizophrenics  
   of somatization patients, *see* Age of somatization patients  
   of SUD patients, 156  
   of suicide attempters, smoking and, 76  
   of TD patients, 7-11  
   of violent inpatients, 232, 233  
   *see also* Adolescents; Adults; Children  
 Age of AUD patients  
   alexithymia and, 297  
   and clinical features of AUDs at time of patient presentation to hospital, 213-217  
   and of MDD patients, 204  
 Age of schizophrenics  
   and prevalence of psychosensory features, 89  
   subjective experience and, 52  
 Age of somatization patients, 174  
 outpatients, 95  
 Agoraphobia, *see* Panic disorder with agoraphobia  
 AIDS (acquired immunodeficiency syndrome), *see* Human immunodeficiency virus infection  
 Alcohol use disorders (AUDs), 213-229  
   burden of, in low-income populations, 71  
   clinical features of, at time of patient presentation to hospital, age and, 213-217  
   family study of, characteristics of IDUs derived from, 218-229  
   folate and cobalamin deficiencies in, 312  
   in women, *see* Alcohol use disorders in women  
   *see also* Alcohol use disorders, psychiatric comorbidity with  
 Alcohol use disorders (AUDs), psychiatric comorbidity with  
   with and without alexithymia, abstinence and, 296-299  
   MDDs as, sex distribution of, in general population, 202-212  
   in schizoaffective and manic patients, 89  
   *see also* Alcohol use disorders in schizophrenics  
 Alcohol use disorders (AUDs) in schizophrenics  
   prevalence of psychosensory features and, 89  
   in schizophrenic women, 110  
 Alcohol use disorders (AUDs) in women  
   in general population, 109  
   in schizophrenic women, 110  
 Alexithymia, 160-170  
   AUDs with and without, abstinence and, 296-299  
   in chronic pain patients, 160-165  
   secondary, as state reaction in panic disorder and social phobia, 166-170  
 American Psychopathological Association (APSA), program of 87th annual meeting of, 2-5  
 AN, *see* Anorexia nervosa  
 Anemia, *see* Pernicious anemia in dementia  
 Anger, suicidal ideation, suicide attempts and, 264-268  
 Anhedonia, severity of chronic depression and, 260-263  
 Annual meeting, program of 87th APSA, 2-5  
 Anorexia nervosa (AN)  
   folate and cobalamin deficiencies in, 312  
   Minnesota Multiphasic Personality Inventory profiles of, at hospital admission, discharge, and at 10-year follow-up, 185-191  
   prevalence of high-level exercise in etiology of, 321-326

- Antisocial personality disorders (ASPDs)  
 in IDUs, 218-229  
 language patterns in identification of somatization and, 171-178  
*see also* Antisocial personality disorders, BPDs and
- Antisocial personality disorders (ASPDs), BPDs and, 237-242  
 affective instability and cognitive symptoms in, 238  
 epidemiology of, 238-239  
 impulsivity in, 238, 240  
 outcome and therapy of, 239-240  
 phenomenology of ASPDs, 237  
 phenomenology of BPDs, 237-238  
 research recommendations on, 240  
 risk factors for, 239, 240
- Anxiety and anxiety disorders  
 in AIDS patients, 149  
 relationship between alexithymia and, 167-168  
 separation, in adulthood, 274-282  
*see also* Anxiety and anxiety disorders, psychiatric comorbidity with
- Anxiety and anxiety disorders, psychiatric comorbidity with  
 NT with generalized anxiety disorders, 252-253  
 prevalence of bipolar II and related disorders with, in family practice setting, 102-108
- APSA (American Psychopathological Association), program of  
 87th annual meeting of, 2-5
- ASPDs, *see* Antisocial personality disorders
- Assessment, *see* Diagnosis
- Associated conditions, *see* Psychiatric comorbidity
- Attempted suicide, anger, suicidal ideation and, 264-268
- Attention-deficit hyperactivity disorder (ADHD), adult, assessment of, based on clinical presentation, 133-140
- AUDs, *see* Alcohol use disorders
- Axis I disorders  
 in hospitalized adolescents with CD, 142-143  
 in inpatients with SUDs, 156-157  
 prevalence of, in AIDS men, 146-154
- Axis II personality disorders  
 in hospitalized adolescents with CD, 143  
 in inpatients with SUDs, 156-157
- Behavioral disorders, *see* Conduct disorders, psychiatric comorbidity with
- Bipolar affective disorder  
 in IDUs, 223  
*see also* Bipolar I disorder; Bipolar II disorder; Manic-depression
- Bipolar I disorder, differential features between bipolar II and, 98-101
- Bipolar II disorder, 98-108  
 differential features between bipolar I and, 98-101  
 prevalence of, and related disorders in family practice setting, 102-108
- BN, *see* Bulimia nervosa
- Borderline personality disorders (BPDs)  
 content validity of DSM-IV criteria for, 31-37  
*see also* Antisocial personality disorders, BPDs and
- BPDs, *see* Borderline personality disorders
- Bulimia nervosa (BN)  
 folate and cobalamin deficiencies in, 312  
 prevalence of high-level exercise in etiology of, 321-326
- Burden of disease in low-income populations, global, 69-71
- Bush-Francis Catatonia Scale, 194
- Career, school, of school refusers, 19
- Catatonia, 56-67  
 clinical validity, nosological status, and relationship of, to mood disorders, 61-67  
 recurrent, consistency of symptoms in, 56-60  
*see also* Catatonia, neuroleptics and
- Catatonia, neuroleptics and, 193-201  
 conclusion on, 199-200  
 description and localization of catatonia, 194-195  
 neuroleptics and decline in prevalence of catatonia in schizophrenia, 197-198; *see also* Catatonia, schizophrenia and recent findings on, 198-199
- Catatonia, schizophrenia and, 195-198  
 association between catatonia and schizophrenia, 61-67, 195  
 psychobiologic significance of catatonia, 195-197  
*see also* Catatonia, neuroleptics and
- CDs, *see* Conduct disorders, psychiatric comorbidity with
- Childhood sexual abuse (CSA)  
 history of, and general psychopathology, 23-30  
 validation of SIDES in patients having suffered, 243
- Children  
 low-income, upgrading mental health services for, 71  
*see also* Childhood sexual abuse
- Chinese-Americans, epidemiology of NT among, 249-259
- Chronic depression, anhedonia and severity of, 260-263
- Chronic pain, alexithymia in patients with, 160-165
- Chronic schizophrenia, effects of insight in, on outcome of long-term inpatient treatment, 283-288
- Cigarette smoking, *see* Nicotine dependence
- Clinical features and presentation  
 adult ADHD assessment based on, 133-140  
 of AUDs at time of patient presentation to hospital, 213-217  
 differential, between bipolar II and bipolar I disorders, 98-101  
 of TD, 7-9, 11  
*see also* Symptoms
- Clinical implications of folate and cobalamin deficiencies in psychopathology, 312-313
- Clinical investigations of TD, 10-12
- Clinical validity of catatonia, 61-67
- Cobalamin deficiency, *see* Folate and cobalamin deficiencies in psychopathology
- Cognitive function, 335-341  
 age and impaired, affecting performance on General Health Questionnaire, 335-340  
 coping and, in schizophrenia and depression, 341-344
- Cognitive symptoms in ASPDs and BPDs, 238
- Comorbidity, *see* Psychiatric comorbidity
- Compulsion, *see* Obsessive-compulsive disorder; Obsessive-compulsive personality disorder
- Concomitant conditions, *see* Psychiatric comorbidity
- Conduct disorders (CDs), psychiatric comorbidity with  
 in hospitalized adolescents, diagnosis of, 141-145  
 prevalence of, among IDUs, 224
- Consistency of symptoms in recurrent catatonia, 56-60
- Content validity of DSM-IV criteria for borderline personality disorder and NPD, 31-37
- Coping, cognitive function and, in schizophrenia and depression, 341-344

## Course

of adult separation anxiety, 276-277

*see also specific conditions*

Cross-cultural reviews of TD, *see* Tourette's disorder, cross-cultural reviews of

CSA, *see* Childhood sexual abuse

Decompensation, personality, psychotic symptoms and, dissociative detachment related to, 327-334

## Dementia

performance of patients with, on General Health Questionnaire, 336

*see also* Pernicious anemia in dementia

## Demographic characteristics

of AIDS patients, 148, 149

of NT patients, 253, 254

of outpatients with somatization, 94

of SAD patients, 81-82

of SUD patients, 156

*see also* Age; Marital status; Race and ethnicity; Sex; Socioeconomic status

Demographic register, national, information on school refusers in, 19-20

Dependent personality disorder (PD) with adult separation anxiety, 279

## Depression and depressive disorders

chronic, anhedonia and severity of, 260-263

coping and cognitive function in, 341-344

folate and cobalamin deficiencies in, 310, 311

manic-, *see* Manic-depression

performance of depressed patients on General Health Questionnaire, 336-339

SAD and, *see* Seasonal affective disorder

*see also* Depression and depressive disorders, psychiatric comorbidity with

Depression and depressive disorders, psychiatric comorbidity with

in AIDS patients, 148-149

alexithymia with, 167-168

bipolar II and related disorders, 102-108

in IDUs, 223

with somatization, 95

*see also* Major depression and depressive disorders, psychiatric comorbidity with

DES (disorders of extreme stress), validation of SIDES for, 243-247

Detachment, dissociative, related to psychotic symptoms and personality decompensation, 327-334

## Diagnosis, 133-145

adult ADHD, based on clinical presentation, 133-140

adult separation anxiety, reliability of, 276

of antisocial and borderline personality disorders, *see* Antisocial personality disorders, BPDs and

of comorbidity in hospitalized adolescents with CDs, 141-145

of depression and anxiety in family practice setting, 104, 105

lifetime, *see* Lifetime psychiatric diagnoses

of psychotic symptoms in dissociative state, 333

of school phobia in adult patients under psychiatric care, 20

*see also* entries beginning with acronym: DSM- and specific conditions

Diagnostic and Statistical Manual, *see* entries beginning with acronym: DSM-

Discharge, Minnesota Multiphasic Personality Inventory profile of anorexics at, 185-191

Dissociative detachment related to psychotic symptoms and personality decompensation, 327-334

## Distress

in adult separation anxiety, 277-279

in AIDS patients, AIDS progression and, 150-151

Drug users, *see* Substance use disorders

DSM-III-R (Diagnostic and Statistical manual-III-Revised) criteria

of SAD and personality disorders, 43-48

*see also* Axis I disorders; Axis II personality disorders

DSM-IV (Diagnostic and Statistical Manual-IV) criteria

AUDs and MDDs in general population and, 202-212

content validity of borderline personality disorder and NPD, 31-37

Dysthymia, NT with, 252-253

## Eating disorder(s)

in IDUs, 223

*see also* Anorexia nervosa; Bulimia nervosa

Eating style in SAD, weight gain and, 80-87

## Educational status

of AUD patients with and without alexithymia, 297

of IDUs, 220

of MDD and AUD patients, 204

of men with AIDS, Axis I disorders and, 149

of NT patients, 254

and performance on General Health Questionnaire, 336

of schizophrenic, schizoaffective, and manic patients, 89

of somatization and/or antisocial personality disorder patients, 174

87th annual meeting of APSA, program of, 2-5

Electroencephalogram findings in TD, 11-12

EMDR (eye movement desensitization and reprocessing) therapy, flooding versus, 300-303

Employment status, anger, suicidal ideation, attempted suicide and, 266

## Epidemiology

of ASPDs and BPDs, 238-239

of folate and cobalamin deficiencies in psychopathology, 307

of NT among Chinese-Americans, 249-259

of TD, 12-13

*see also* Prevalence

Epileptic mentally retarded adults, mental disorder in, 179-184

## Etiology

of AN and BN, prevalence of high-level exercise in, 321-326

*see also specific conditions*

Exercise, prevalence of high-level, in BN and AN etiology, 321-326

Extreme stress, disorders of, validation of SIDES for, 243-247

Eye movement desensitization and reprocessing (EMDR) therapy, flooding versus, 300-303

## Family

of adults with separation anxiety disorder, 279

of bipolar I disorder patients, 99

of bipolar II disorder patients, 99, 105

- Family (*Continued*)
- characteristics of IDUs derived from family study of AUDs, 218-229
  - first degree relatives of OCD patients, risk of OCD, tics disorder, and TD in, 41
  - and prevalence of psychosensory features in schizophrenic, schizoaffective, and manic patients, 89
  - of TD patients, 7-11
- Family practice setting, prevalence of bipolar II disorder and related disorders in, 102-108
- First degree relatives of OCD patients, risk of OCD, tics disorder, and TD in, 41
- Flooding, EMDR therapy versus, 300-303
- Folate and cobalamin deficiencies in psychopathology, 305-314
- in alcohol dependence, anorexia nervosa, bulimia nervosa, manic-depression, and OCD, 312
  - clinical implications of, 312-313
  - in dementia, *see* Pernicious anemia in dementia
  - in depression, 310, 311
  - epidemiology of, 307
  - in psychosis, 310, 312
- Follow-up, *see* Long-term follow-up
- Frontal lobe impairment, role of psychosis, ward turmoil and, in violence of inpatients, 230-236
- Functional status
- of ADHD adults, 136
  - of adolescent inpatients with conduct disorder, 142
- GAD (generalized anxiety disorder), NT with, 252-253
- GBD (global burden of disease) in low-income populations, 69-71
- Gender, *see* Sex
- General Health Questionnaire (GHQ), age and cognitive impairment affecting performance on, 335-340
- General population
- alcohol use disorders in women in, 109
  - performance of, on General Health Questionnaire, 336-339
  - sex differences in AUDs and MDDs in, 202-212
- General psychopathology, history of CSA and, 23-30
- Generalized anxiety disorder (GAD), NT with, 252-253
- Global burden of disease (GBD) in low-income populations, 69-71
- Health insurance records, national, information on school refusals in, 19
- High-level exercise, prevalence of, in BN and AN etiology, 321-326
- High-risk behaviors of IDUs, 218-229
- History, *see* Patient history
- HIV, *see* Human immunodeficiency virus infection
- Hopelessness, anger, suicidal ideation, attempted suicide and, 266
- Hospital
- age and clinical features of AUDs at time of patient presentation to, 213-217
  - see also* Admission; Discharge; Inpatients
- Human immunodeficiency virus (HIV) infection
- Axis I disorders in men with, 146-154
  - and HIV risk behaviors of IDUs, 225
- Hypochondriasis, illness phobia and, in panic-agoraphobia, 124-131
- ICD-10 (International Classification of Disease-10), NT diagnostic criteria of, 257-258
- IDUs (injection drug users), characteristics of, 218-229
- Illness phobia, hypochondriasis and, in panic-agoraphobia, 124-131
- Imagery, mental, of past events, psychophysiologic assessment of, in Israeli civilian PTSD patients, 269-273
- Impulsivity
- and age of AUD patients, 213, 215, 216
  - in ASPDs and BPDs, 238, 240
- Income, *see* Socioeconomic status
- Injection drug users (IDUs), characteristics of, 218-229
- Inpatients
- chronic schizophrenic, effects of insight in schizophrenia on outcome of long-term treatment of, 283-288
  - performance of, on General Health Questionnaire, 336
  - role of psychosis, frontal lobe impairment, and ward turmoil in violence of, 230-236
  - see also* Inpatients, psychiatric comorbidity in
- Inpatients, psychiatric comorbidity in
- adolescent inpatients with conduct disorders, 141-145
  - differences in comorbidity between male and female, with SUDs, 155-159
- Insight
- in seasonal affective disorder, 345-348
  - see also* Schizophrenia, insight in
- International Classification of Disease-10 (ICD-10), NT diagnostic criteria of, 257-258
- Israeli civilian population with PTSD, psychophysiologic assessment of mental imagery of past events in, 269-273
- Kahlbaum syndrome, *see* Catatonia
- Language patterns in identification of somatization and antisocial personality disorders, 171-178
- Left lateral visual field (LVF), stimulation of right versus, in outpatients, changes in affect and, 289-295
- Lifetime drug use by IDUs, 220-222
- Lifetime psychiatric diagnoses
- in AIDS patients, 150
  - in IDUs, 221, 223-224
- Localization of catatonia, 198-199
- Loneliness, anger, suicidal ideation, attempted suicide and, 266
- Long-term follow-up
- of anorectics, Minnesota Multiphasic Personality Inventory profile in, 185-191
  - of school refusers, 17-22
- Long-term inpatient treatment of chronic schizophrenics, insight effects on outcome of, 283-288
- Low-income populations, mental health services for, 69-73
- LVF (left lateral visual field), stimulation of right lateral visual field versus, in outpatients, changes in affect and, 289-295
- Major depression and depressive disorders (MDDs), psychiatric comorbidity with
- with adult separation anxiety, 277-279
  - with AUDs, sex distribution of, 202-212
  - in IDUs, 223
  - with NT in Chinese-Americans, 252-253
- Maladaptive behavior among mentally retarded epileptic adults, 181

- Males, *see* Men
- Manic-depression  
 folate and cobalamin deficiencies in, 312  
 prevalence of psychosensory features in, 88-92  
*see also* Bipolar affective disorder
- Marital status  
 of AUD patients with and without alexithymia, 297  
 of bipolar I and II disorder patients, 99  
 of IDUs, 220  
 of MDD and AUD patients, 204  
 of NT patients, 254
- MDDs, *see* Major depression and depressive disorders, psychiatric comorbidity with
- Medical characteristics  
 of AIDS patients, 148, 149  
 and neurological findings in TD, 11-12
- Men  
 with AIDS, Axis I disorders in, 146-154  
*see also* Sex and specific conditions
- Mental health in low-income populations, 69-73
- Mental health services  
 for former school refusers, 19, 20  
 for low-income populations, need to upgrade, 71
- Mental illness, *see* Psychopathology
- Mental imagery of past events, psychophysiological assessment of, in Israeli civilian PTSD patients, 269-273
- Mentally retarded epileptic adults, mental disorder in, 179-184
- Minnesota Multiphasic Personality Inventory (MMPI) profiles  
 of anorexics at hospital admission, discharge, and 10-year follow-up, 185-191
- Moderately obese subjects, alexithymia in treatment- and non-treatment-seeking, 160-165
- Mood disorders  
 catatonia relationship to, 61-67  
 IDUs with, 218-229  
 outcome of therapy of, 105  
*see also* specific mood disorders
- Narcissistic personality disorder (NPD), content validity of DSM-IV criteria for, 31-37
- National demographic register, information on school refusers in, 19-20
- National health insurance records, information on school refusers in, 19
- National police register, information on school refusers in, 19
- Needle sharing among IDUs, 218, 219, 225, 226
- Neurasthenia (NT) among Chinese-Americans, epidemiology of, 249-259
- Neuroleptic malignant syndrome, *see* Catatonia, neuroleptics and
- Neurological findings in TD, 11-12
- Nicotine dependence  
 alexithymia in treatment- and non-treatment-seeking patients with, 160-165  
 in IDUs, 220  
 among suicide attempters, 74-79
- NMS (neuroleptic malignant syndrome), *see* Catatonia, neuroleptics and
- Nonpsychotic thought disorder (NPTD), and language patterns in identification of somatization and antisocial personality disorders, 171-178
- Non-treatment-seekers, nicotine-dependent and moderately obese, alexithymia in, 160-165
- Nonviolent inpatients, differences between violent and, 232-234
- Normal population, *see* General population
- Nosology of catatonia, 61-67
- NPD (narcissistic personality disorder), content validity of DSM-IV criteria for, 31-37
- NPTD (nonpsychotic thought disorder), and language patterns in identification of somatization and antisocial personality disorders, 171-178
- NT (neurasthenia) among Chinese-Americans, epidemiology of, 249-259
- Obese subjects, alexithymia in treatment- and non-treatment-seeking moderately, 160-165
- Obsessive-compulsive disorder (OCD)  
 folate and cobalamin deficiencies in, 312  
 IDUs with, 223  
 relationship between obsessive-compulsive personality disorder and, 38-42
- Obsessive-compulsive personality disorder (OPCD), relationship between obsessive-compulsive disorder and, 38-42
- OCD, *see* Obsessive-compulsive disorder
- Onset of adult separation anxiety, 276-277
- OPCD (obsessive-compulsive personality disorder), relationship between obsessive-compulsive disorder and, 38-42
- Outcome  
 of ASPDs and BPDs, 239-240  
 of long-term inpatient treatment of chronic schizophrenics, effects of insight in schizophrenia on, 283-288  
 of mood disorder therapy, 105  
*see also* Long-term follow-up and specific conditions
- Outlook of AIDS patients, AIDS progression and, 150-151
- Outpatients  
 somatosensory amplification and somatization in, 93-97  
 stimulation of left lateral versus right lateral visual field in, changes in affect and 289-295
- Pain, chronic, alexithymia in patients with, 160-165
- Panic disorder, psychiatric comorbidity with  
 with adult separation anxiety disorder, 277-279  
 in IDUs, 223  
 with NT, 252-253  
 social phobia and, secondary alexithymia as state reaction in, 166-170  
 somatization as, 95  
*see also* Panic disorder with agoraphobia, psychiatric comorbidity with
- Panic disorder with agoraphobia, psychiatric comorbidity with  
 with adult separation anxiety disorder, 277-279  
 illness phobia, hypochondriasis and, 124-131  
 with specific phobias, 315-320
- Past events, psychophysiological assessment of mental imagery of, in Israeli civilian PTSD patients, 269-273
- Patient history  
 of CsA, general psychopathology and, 23-30  
 psychiatric, of male and female inpatients with SUDs, 156  
*see also* Family of male and female inpatients with SUDs  
 PDs, *see* Personality disorder(s)



- Pernicious anemia in dementia  
 folate and cobalamin deficiencies and, 308-310; Folate and cobalamin deficiencies in psychopathology  
 subcortical dementia, 349-351
- Persistent violence of inpatients, role of psychosis, frontal lobe impairment, and ward turmoil in, 230-236
- Personality decompensation, psychotic symptoms and, dissociative detachment related to, 327-334
- Personality disorder(s) (PDs)  
 DSM-III-R, SAD and, 43-48  
*see also* Axis II personality disorders; Personality disorders, psychiatric comorbidity with *and specific personality disorders*
- Personality disorders (PDs), psychiatric comorbidity with  
 adult separation anxiety with dependent PD, 279  
 with OCD, 40
- Phenomenology  
 of adult separation anxiety, 276  
 of ASPDs, 237  
 of BPDs, 237-238
- Phobia  
 NT with, 252-253  
 school, follow-up study on, 17-22  
 social, secondary alexithymia as state reaction in panic disorder and, 166-170  
*see also* Panic disorder with agoraphobia, psychiatric comorbidity with
- Police registers, national, information on school refusers in, 19
- Posttraumatic stress disorder (PTSD)  
 in Israeli civilian population, psychophysiologic assessment of mental imagery of past events in, 269-273  
 and validation of SIDES, 243-247
- Prediction of drug use by injection, 224-225
- Prevalence  
 of axis I disorders in AIDS men, 146-154  
 of bipolar II disorder and related disorders in family practice setting, 102-108  
 of CDs among IDUs, 224  
 decline in, of catatonia in schizophrenia, neuroleptics and, 197-198  
 of high-level exercise in BN and AN etiology, 321-326  
 of maladaptive behavior among mentally retarded epileptic adults, 181  
 of NT among Chinese-Americans, 251-252  
 of psychosensory features in schizophrenia, in schizoaffective and manic patients, 88-92  
 of TD, 12-13
- Prevention programs for low-income populations, 71
- Primary depression, AUDs and, 204, 206, 207, 209
- Progression of AIDS, association between severity of comorbid psychiatric disorders or distress with, 150-151
- Psychiatric comorbidity, 141-154 (*Continued*)  
 in IDUs, 218-229  
 in men with AIDS, 146-154  
 with NT, 252-253  
 with OCD, 40  
 with panic disorder, *see* Panic disorder, psychiatric comorbidity with  
 with schizoaffective disorders and mania, 90-91  
 with schizophrenia, *see* Psychiatric comorbidity with schizophrenia  
 with social phobia, *see* Social phobia, psychiatric comorbidity with  
 with SUDs, *see* Substance use disorders, psychiatric comorbidity with  
 in suicide attempters, 76-78  
 with TD, 10, 11  
*see also specific conditions*
- Psychiatric comorbidity with schizophrenia, 89-91  
 psychosensory features and, 89-91  
 schizoaffective disorders and mania, 90  
*see also* Psychiatric comorbidity with schizophrenia, SUDs as
- Psychiatric comorbidity with schizophrenia, SUDs as  
 psychosensory features and, 89  
 sex differences in, 109-116  
*see also* Alcohol use disorders in schizophrenics
- Psychiatric history of male and female inpatients with SUDs, 156
- Psychobiological significance of catatonia, 195-197
- Psychological distress, *see* Distress
- Psychopathology  
 of antisocial and borderline personality disorders, 237-242  
 burden of, in low-income populations, 70-71  
 in chronic pain and obesity, 162  
 general, history of CSA and, 23-30  
 psychosocial, in low-income populations, 71-72  
*see also* Folate and cobalamin deficiencies in psychopathology; Psychiatric comorbidity *and specific conditions*
- Psychophysiologic assessment of mental imagery of past events in Israeli civilian PTSD patients, 269-273
- Psychosensory features, prevalence of, in schizophrenic, schizoaffective, and manic patients, 88-92
- Psychosis  
 folate and cobalamin deficiencies in, 310, 312  
 role of frontal lobe impairment, ward turmoil and, in violence of inpatients, 230-236  
*see also specific psychoses*
- Psychosocial pathology  
 in low-income populations, 71-72  
*see also* Antisocial personality disorders
- PTSD, *see* Posttraumatic stress disorder
- Quality of life of AIDS patients, AIDS progression and, 150-151
- Race and ethnicity  
 epidemiology of NT among Chinese-Americans, 249-259  
 of hospitalized adolescents with conduct disorder, 142  
 of IDUs, 220  
 Israeli civilian population with PTSD, psychophysiologic assessment of mental imagery of past events in, 269-273  
 of MDD and AUD patients, 204,  
 of men with AIDS, Axis I disorders and, 149



- Race and ethnicity (*Continued*)  
 of somatization and/or antisocial personality disorder patients, 174  
 of SUD patients, 156  
 of violent inpatients, 232, 233
- Receiver-operating characteristic (ROC) analysis of General Health Questionnaire, 335-336
- Recurrent catatonia, consistency of symptoms in, 56-60
- Refusers, school, follow-up study on, 17-22
- Relatives, *see* Family
- Reliability of adult separation anxiety diagnosis, 276
- Religious affiliation of NT patients, 254
- Right lateral visual field (RVF), stimulation of left lateral visual field versus, in outpatients, changes in affect and, 289-295
- Risk factors  
 for ASPDs and BPDs, 239, 240  
 for OCD, tics disorder, and TD in first degree relatives of OCD patients, 41
- ROC (receiver-operating characteristic) analysis of General Health Questionnaire, 335-336
- RVF (right lateral visual field), stimulation of left lateral visual field versus, in outpatients, changes in affect and, 289-295
- SAD, *see* Seasonal affective disorder
- Schizoaffective patients, prevalence of psychosensory features in, 88-92
- Schizophrenia  
 catatonia and, *see* Catatonia, schizophrenia and comorbidity with, *see* Psychiatric comorbidity with schizophrenia  
 coping and cognitive function in, 341-344  
 insight in, *see* Schizophrenia, insight in  
 prevalence of psychosensory features in, 88-92  
 subjective experience in, related symptoms and, 49-55
- Schizophrenia, insight in  
 correlates of, 117-123  
 effects of insight on long-term inpatient treatment outcome of chronic schizophrenia, 283-288
- School career of school refusers, 19
- School phobia, follow-up study on, 17-22
- Seasonal affective disorder (SAD)  
 and DSM-III-R personality disorders, 43-48  
 eating style in, weight gain and, 80-87  
 insight in, 345-348
- Secondary alexithymia, as state reaction in panic disorder and social phobia, 166-170
- Self-anger, suicidal ideation, attempted suicide and, 265-267
- Separation anxiety in adulthood, 274-282
- Severity  
 of chronic depression, anhedonia and, 260-263  
 of comorbid psychiatric disorders with AIDS, AIDS progression and, 150-151
- Sex  
 anger, suicidal ideation, attempted suicide and, 265, 266  
 of bipolar I and II disorder patients, 99  
 of catatonia patients, 58, 63  
 and childhood sexual abuse, 26  
 of hospitalized adolescents with conduct disorder, 142  
 of IDUs, 220
- Sex (*Continued*)  
 and impulsivity in ASPDs and BPDs, 240  
 of NT patients, 254  
 of OCD patients, 40, 41  
 of outpatients with somatization, 95  
 of panic-agoraphobia patients, 127, 128  
 and performance on General Health Questionnaire, 336  
 of PTSD patients, 271  
 of SAD patients, 45  
 of schizoaffective and manic patients, psychosensory features and, 89  
 of schizophrenics, *see* Sex of schizophrenics  
 sex differences in MDDs, 202-212  
 and SUDs, *see* Sex, and psychiatric comorbidity with SUDs  
 of suicide attempters, smoking and, 76  
 of TD patients, 7-11  
 of violent inpatients, 232, 233  
*see also* Men and specific conditions
- Sex, and psychiatric comorbidity with SUDs  
 alexithymia, 297  
 among inpatients, 155-159  
 of schizophrenics, 109-116
- Sex of schizophrenics  
 and prevalence of psychosensory features, 89  
 subjective experience and, 52  
 with SUDs, 109-116
- Sexual abuse, *see* Childhood sexual abuse
- SIDES (Structured Interview for Disorders of Extreme Stress), validation of, 243-247
- Smoking, *see* Nicotine dependence
- Social authorities providing information on school refusers, 19
- Social phobia, psychiatric comorbidity with  
 with IDUs, 223  
 panic disorder and, secondary alexithymia as state reaction in, 166-170
- Society, anger with, suicidal ideation, attempted suicide and, 265-267
- Socioeconomic status  
 of MDD and, AUD patients, 204  
 mental health services for low-income populations, 69-73  
*see also* Demographic characteristics; Educational status; Employment status
- Sociopathology, *see* Psychosocial pathology
- Somatization  
 language patterns in identification of antisocial personality disorder and, 171-178  
 somatosensory amplification and, in outpatients, 93-97
- Somatosensory amplification, somatization and, in outpatients, 93-97
- Specific phobias (SPs) with panic disorder and agoraphobia, 315-320
- State reaction, secondary alexithymia as, in panic disorder and social phobia, 166-170
- Stress disorders, *see* Posttraumatic stress disorder
- Structured Interview for Disorders of Extreme Stress (SIDES), validation of, 243-247
- Subcortical dementia associated with pernicious anemia, 349-351
- Subjective experience in schizophrenia, related symptoms and, 49-55

- Substance use disorders (SUDs)  
 in AIDS patients, 149-150  
 comorbidity with, *see* Substance use disorders, psychiatric comorbidity with  
 global burden of, in low-income populations, 71  
 other than alcohol by AUD and MDD patients, 208, 209  
*see also* Alcohol use disorders; Injection drug users; Nicotine dependence
- Substance use disorders (SUDs), psychiatric comorbidity with  
 ADHD as, 136  
 in IDUs, 221-224  
 by schizoaffective and manic patients, 89  
 schizophrenia with, *see* Psychiatric comorbidity with schizophrenia, SUDs as  
 sex differences in, *see* Sex, and psychiatric comorbidity with SUDS  
*see also* Alcohol use disorders, psychiatric comorbidity with SUDs, *see* Substance use disorders
- Suicidal behavior  
 of IDUs, 221, 223-224  
 smoking and, 74-79
- Suicidal ideation, anger, attempted suicide and, 264-268
- Symptoms  
 adult ADHD, 137  
 adult separation anxiety, 277  
 of AUDs, 214, 215  
 of catatonia, *see* Symptoms of catatonia  
 cognitive, in ASPDs and BPDs, 238  
 psychotic, *see* Symptoms, psychotic  
 related, and subjective experience in schizophrenia, 49-55  
 of somatization and/or antisocial personality disorder, 175, 176  
*see also* Clinical features and presentation
- Symptoms, psychotic  
 personality decompensation and, dissociative detachment related to, 327-334  
 in violent and nonviolent inpatients, 233-234
- Symptoms of catatonia, 64  
 consistency of, in recurrent catatonia, 56-60
- Syndromal disorders in AIDS patients, 150
- TD, *see* Tourette's disorder
- Therapy  
 of adults who were school refusers, 19, 20  
 of ASPDs and BPDs, 239-240  
 of bipolar II and related disorders, 102-108  
 effects of, on psychosensory features in schizophrenia, schizoaffective disorders, and mania, 90-91  
 effects of, on secondary alexithymia, 167, 168
- Therapy (*Continued*)  
 flooding versus EMDR, 300-303  
 of frontal lobe-impaired violent inpatients, 233, 235  
 of mood disorders, outcome of, 105  
 of TD, 10, 12  
*see also* Family practice setting; Hospital; Mental health services; Outpatients; Treatment-seekers and specific conditions
- Thought disorder, nonpsychotic, and language patterns in identification of somatization and antisocial personality disorders, 171-178
- Tics disorder in first degree relatives of OCD patients, 41
- Tobacco smoking, *see* Nicotine dependence
- Tourette's disorder (TD)  
 in first degree relatives of OCD patients, 41  
*see also* Tourette's disorder, cross-cultural reviews of  
 Tourette's disorder (TD), cross-cultural reviews of, 6-15  
 case reports on, 7-10  
 clinical investigations of, 10-12  
 discussion on, 13-15  
 prevalence and epidemiology of, 12-13
- Transient violence of inpatients, role of psychosis, frontal lobe impairment, and ward turmoil in, 230-236
- Treatment-seekers, nicotine-dependent and moderately obese, alexithymia in, 160-165
- Treatment settings, *see* Family practice setting; Hospital; Outpatients
- Validation of SIDES, 243-247
- Validity  
 clinical, of catatonia, 61-67  
 content, of DSM-IV criteria for borderline personality disorder and NPD, 31-37
- Violence  
 of inpatients, role of psychosis, frontal lobe impairment, and ward turmoil in, 230-236  
 in low-income populations, 72-73  
*see also* Suicidal behavior
- Visual field stimulation, right versus left lateral, in outpatients, changes in affect and, 289-295
- Vitamin B<sup>12</sup>, *see* Folate and cobalamin deficiencies in psychopathology
- Ward turmoil, role of psychosis, frontal lobe impairment and, in violent inpatients, 230-236
- Weight gain in SAD, eating style and, 80-87
- Women, *see* Alcohol use disorders in women; Sex and specific conditions
- World Health Report on burden of mental illness, 70-71

